



## Respiratory Requisition

**Date Specimen Collected:** \_\_\_\_\_ **Time Specimen Collected:** \_\_\_\_\_

**Laboratory Use Only**

Accession Number \_\_\_\_\_ Date Received \_\_\_\_\_ Time Received \_\_\_\_\_

Practice Name \_\_\_\_\_ Practice ID  \_\_\_\_\_ **Practice Contact Information**  
 Ordering Physicians  \_\_\_\_\_  \_\_\_\_\_ Address \_\_\_\_\_  
 \_\_\_\_\_  \_\_\_\_\_ Phone \_\_\_\_\_  
 \_\_\_\_\_  \_\_\_\_\_ Fax \_\_\_\_\_

## Patient and Insurance Information

(Currently Not Accepting Medicaid or Managed Medicaid Plans - Contract Pending)

Name \_\_\_\_\_ Cell/Home Phone\* \_\_\_\_\_ Date of Birth \_\_\_\_\_  
 Full Address \_\_\_\_\_ Email \_\_\_\_\_  
 Gender\* \_\_\_\_\_ Gender ID\* \_\_\_\_\_ Race\* \_\_\_\_\_ Ethnicity\* \_\_\_\_\_ Sexual Orientation\* \_\_\_\_\_

Insured's Name \_\_\_\_\_ Relationship to Patient \_\_\_\_\_ Social Security # \_\_\_\_\_  
 Cell/Home Phone \_\_\_\_\_ Date of Birth \_\_\_\_\_ Gender \_\_\_\_\_  
 Primary Insurance \_\_\_\_\_ Secondary Insurance \_\_\_\_\_  
 Group # \_\_\_\_\_ ID# \_\_\_\_\_ Group # \_\_\_\_\_ ID# \_\_\_\_\_  
 Address \_\_\_\_\_ Address \_\_\_\_\_

## Respiratory Test Panels

### Nasal Swab OR Nasopharyngeal Swab:

- Genesis Respiratory Pathogen Panel (Including COVID-19) (UTM/VTM Swab)  
(See back for details.)
- COVID-19 + Influenza A & B, and RSV Panel (UTM/VTM Swab)

### Throat Swab:

- Group A Streptococcus  
(Liquid Amies/eSwab)

## ICD-10 Codes

- |  |  |
|--|--|
| <input type="checkbox"/> R05.1 Acute cough < 3 weeks                       | <input type="checkbox"/> J02.9 Acute pharyngitis, unspecified                    |
| <input type="checkbox"/> R05.2 Subacute cough > 3 weeks                    | <input type="checkbox"/> J04.0 Acute laryngitis                                  |
| <input type="checkbox"/> R06.02 Shortness of breath                        | <input type="checkbox"/> J06.9 Acute upper respiratory infection, unspecified    |
| <input type="checkbox"/> R06.03 Acute respiratory distress                 | <input type="checkbox"/> J12.89 Other viral pneumonia                            |
| <input type="checkbox"/> R06.2 Wheezing                                    | <input type="checkbox"/> J18.8 Other pneumonia, unspecified organism             |
| <input type="checkbox"/> R07.1 Chest pain on breathing                     | <input type="checkbox"/> J20.8 Acute bronchitis due to other specified organisms |
| <input type="checkbox"/> R43.9 Unspecified disturbances of smell and taste | <input type="checkbox"/> J22 Unspecified acute lower respiratory infection       |
| <input type="checkbox"/> R50.9 Fever unspecified                           | <input type="checkbox"/> Z20.828 Exposure to other viral communicable diseases   |
| <input type="checkbox"/> R53.1 Weakness                                    |  |
| <input type="checkbox"/> R68.83 Chills (without fever)                     |  |
| <input type="checkbox"/> J00 Acute nasopharyngitis (common cold)           |  |

### Immunodeficiency ICD-10 Codes

- D84.821 Immunodeficiency due to drugs
- D81.9 Combined immunodeficiency, unspecified
- D83.8 Other common variable immunodeficiencies
- D83.9 Common variable immunodeficiency, unspecified
- D84.89 Other immunodeficiencies
- D84.9 Immunodeficiency, unspecified
- D81.89 Other combined immunodeficiencies
- \_\_\_\_\_
- \_\_\_\_\_

This test is medically necessary for the diagnosis or detection of a disease, illness, impairment, symptom, syndrome or disorder. The results will determine my patient's medical management and treatment decisions. The person listed as the ordering provider is authorized by law to order the test(s) requested herein.

**Patient Authorization:** I hereby authorize Genesis Laboratory Management to submit a claim to my insurance company for above services and appeal if necessary on my behalf.

Signature of Physician or Other Authorized NPI Provider (REQUIRED) \_\_\_\_\_ Date \_\_\_\_\_  
 Signature of Patient (REQUIRED) \_\_\_\_\_ Date \_\_\_\_\_  
 Accessioner Initials 1 \_\_\_\_\_ 2 \_\_\_\_\_

\*Gender, Cell/Home Phone, Gender Identity, Race, Ethnicity, and Sexual Orientation are required by certain states and the CDC. ICD-10 Codes are listed for information purposes only. It is the provider's responsibility to order tests that are medically necessary and in the best interest of the patient. For specimen pick up please call our Courier Line at 732-508-9154.

## Genesis Respiratory Pathogen Panel

### Viruses

COVID-19 (SARS-CoV-2)  
Influenza A virus/Influenza B virus Pan  
Respiratory syncytial virus (RSV)

### Bacteria

*Bordetella parapertussis*  
*Bordetella pertussis*  
*Chlamydia pneumoniae*  
*Legionella pneumophila*  
*Mycoplasma pneumoniae*

### COVID-19 + Influenza A & B, and RSV Panel

COVID-19 (SARS-CoV-2)  
Influenza A  
Influenza B  
Respiratory Syncytial Virus (RSV)

### Group A Streptococcus

*Streptococcus pyogenes*

## COVID-19

### Information about COVID-19 (SARS-CoV-2 PCR Assay)

PLEASE NOTE: Testing was performed using the TaqPath COVID-19 Combo Kit and/or Panther Fusion® SARS-CoV-2 Assay Kit by real-time (RT) PCR. Positive results do not rule out co-infection with organisms not included in the TaqPath COVID-19 Combo Kit and/or Panther Fusion® SARS-CoV-2 Assay Kit by real-time (RT) PCR. The agent detected may not be the definite cause of this disease. This assay is for in vitro diagnostic use under the FDA Emergency Use Authorization (EUA). This test is only authorized for the duration of time of the declaration and for the detection of SARSCoV-2 RNA virus and/or diagnosis of COVID-19 infection under section 564 (b)(1) of the act, 21 U.S.C.360bbb-3(b)(1) unless the authorization is terminated or revoked sooner.

A Positive result indicates the presence of SARS-CoV-2 RNA but does not exclude bacterial infection and/or coinfection with other viruses. The agent detected may not be the definitive cause of disease. This result should be combined with clinical observation, patient history, and epidemiological information for patient management decisions.

Negative results do not preclude SARS-CoV-2 infection and should not be used as the sole basis for treatment and other patient management decisions. Negative results must be used in conjunction with clinical observation, patient history, and epidemiological information for patient management decisions.